



\$1.00 U.S.

The Leader in Automotive Performance Products

NEW!
*Series 2000
and
Series 3000*
See pg. 6&7

**NOW AVAILABLE
FACTORY DIRECT!**

*Synthetic Motor Oils
Synthetic Drivetrain Lubes
Oil & Air Filters • Fuel Additives
Appearance Products*

Dear Valued Customer:

Following, you will find the AMSOIL Retail Catalog you requested. It contains up-to-date information on AMSOIL products and applications plus pricing and ordering information.

Your customer number is **319760**, so please use this number when you place your order with AMSOIL INC.

If you would like more information on AMSOIL products and applications, starting your own AMSOIL Dealership, or setting yourself up as an AMSOIL Retail On-the-Shelf Account or Commercial Account, I would be happy to help. Use the information below to contact me.

Thanks for your interest in AMSOIL. I look forward to working with you!

Sincerely,

Mark Desantis
Independent AMSOIL Dealer

Mark Desantis
MD Synthetics
353 Martin Dr.
West Islip, NY 11795
Phone: (516) 661-5531
E-mail: 103036.2360.compserve.com

“The First In Synthetics”



During Lieutenant Colonel Al Amatuzio's 25 years as an award-winning jet fighter pilot, he gained a solid appreciation for the extraordinary lubricants that protected the engines of the jets he flew. He knew that *only* these lubricants, synthetic lubricants, could stand up to the demanding operating conditions of jet engines and the severe temperature extremes they encounter.

He knew also that the same outstanding performance benefits synthetic lubricants provide for jet engines would prove invaluable to car, truck and other internal combustion engines.

In the mid-1960s, Al Amatuzio began an intense period of research and development. He assembled the industry's most knowledgeable chemists and directed the formulation of the first synthetic motor oil in the world to meet American Petroleum Institute service requirements.

The introduction of AMSOIL synthetic motor oil in 1972 set all-new standards for motor oil quality. AMSOIL synthetic motor oil outperformed conventional petroleum motor oils on all counts. It was clear from the start that this innovative product would play a major role in engine performance and engine life.

Today, virtually every other motor oil manufacturer has recognized the superiority of synthetic lubricants and has followed the AMSOIL lead with introductions of synthetic motor oils of their own. They spend millions of dollars advertising their “new” and “revolutionary” products. No one, however, can match AMSOIL experience and technological know-how. And no one delivers products like AMSOIL. Accept no substitutes — AMSOIL *is* “The First in Synthetics.”



THE RECOGNIZED LEADER ...

Al Amatuzio's recent induction to the Lubricants World Hall of Fame is the ultimate tribute to the man who started it all. He is firmly established among the giants who have shaped the industry. Al Amatuzio's desire for technical innovation, his commitment to higher quality and his belief that consumers respond to superior products remain the core of the AMSOIL philosophy.



THE COMPANY ...

The AMSOIL corporate headquarters, manufacturing plants and chemical and test laboratories boast state-of-the-art equipment and specialists in every facet of lubricant technology. At AMSOIL, unparalleled quality stan-

dards are assured. And AMSOIL provides a full range of customer and technical services, while fifteen distribution centers throughout North America and the world keep pace with the increasing demand for AMSOIL products.



THE PRODUCTS ...

Since the introduction of AMSOIL Synthetic Motor Oil in 1972, AMSOIL has gone on to develop the most complete line of synthetic lubricants and automotive products in the world. The history of AMSOIL product introductions is a checklist of industry firsts.

AMSOIL "firsts" in motor oil, two-cycle oil, gear lube, grease, air filter and oil filter technology are proof-positive of the AMSOIL commitment to innovation.



THE FACTS ON SYNTHETIC MOTOR OIL...

FACT: Unlike conventional motor oils, which contain non-essential molecules that do virtually nothing to protect the engine and contaminants that actually harm it, AMSOIL synthetic motor oil is pure and molecularly uniform. Every single molecule in AMSOIL synthetic motor oil is dedicated to engine lubrication and protection.

FACT: AMSOIL synthetic motor oils exceed the most demanding world-wide performance specifications, meeting warranty requirements for all domestic and imported passenger car and truck engines.

FACT: AMSOIL synthetic motor oils reduce friction more effectively than conventional petroleum motor oils do. Less friction means less engine wear, better fuel economy and improved power and performance.

FACT: When AMSOIL synthetic motor oil was introduced in 1972, critics scoffed at the new technology. Since then, of course, the major motor oil manufacturers have followed the AMSOIL lead and have begun developing synthetic motor oils of their own. Car and truck manufacturers, too, have recognized the superiority of synthetic lubricants and are now recommending or even requiring synthetics in a variety of applications.

FACT: AMSOIL synthetic motor oils resist the formation of sludge, varnish, acids and other harmful deposits. Engines stay cleaner, perform better and last longer.

FACT: AMSOIL President Al Amatuzio coined the phrase “extended drain interval” with his introduction of the world’s first API rated synthetic motor oil. Today, tens of thousands of motorists using AMSOIL are saving time and money by changing their oil less often. Extending drain intervals with AMSOIL synthetic motor oil does not void new car warranties.

FACT: AMSOIL synthetic motor oils do not “burn off” like conventional petroleum motor oils. AMSOIL motor oils retain their viscosity, providing reduced oil consumption, improved fuel economy and better wear protection.

FACT: AMSOIL synthetic motor oils remain fluid in cold temperatures. With AMSOIL motor oils, engines start easier and are assured immediate start-up protection.

WHAT OTHERS ARE SAYING...

“I changed the AMSOIL diesel oil in my Mack truck at 100,000-mile intervals. At 600,000 miles the truck was overhauled, and all the old parts met new truck specifications according to the Mack engineers.” *Haywood Gray, Colonial Heights, Virginia*



“I’m a mechanic myself with more than nine years of experience, and I have never seen so huge an increase in fuel economy and decrease in temperature in an engine ... I changed the oil to AMSOIL 5W-30, and my fuel mileage increased from 34 miles per gallon to 39 miles per gallon.” *M.M., Fort Lewis, Washington*

“No question in the minds of people in the know that synthetic lubricants are today’s answer to improved performance, reduced maintenance and less pollution. AMSOIL is the obvious leader in the industry.” *M.P., Austin, Texas*

“I am very impressed with the whole line of AMSOIL products. Everyone that I have recommended these products to, and who has used them, has seen similar results.” *C.Y., Sweeny, Texas*

“Even running at wide-open throttle in the desert, the oil temperature remained constant. With AMSOIL Series 2000 in the engine, I don’t have to worry about viscosity breakdown. I can concentrate on driving the race car.” *Mike Anson, Former Motor Trend Editor, Long Beach, California*



PRODUCT INDEX

Series 2000 & Series 3000	6, 7
Gasoline Engine Oils	8, 9
Diesel Engine Oils	10
Gear Lube	11
ATF	12
Propylene Glycol Antifreeze	13
2-Cycle Oils / Bar & Chain Oil	14, 15
How To Order	16
Business Opportunity	17
Greases	18, 19
Fuel Additives	20, 21
Oil Filters & Air filters	22, 23
By-Pass Oil Filter	24
Engine Cleaners	25
Silicone Spray/Metal Protector	26
Lure Gard/Rust Preventative	27
Miracle Wash	28
Appearance Products	29
Hand Cleaners/All Purpose Cleaner	30
AMSOIL Extras	31

AMSOIL SERIES 2000 SYNTHETIC 20W-50 RACING OIL

Formulated like no other motor oil in the world. Special synthetic base stock blend and advanced additive package provides up to four times the wear protection of other motor oils.


Reduces friction for quicker engine response and increased horsepower. Improves fuel efficiency.

SERIES 2000 SAE 20W-50
SYNTHETIC RACING OIL
API Service SH, SJ, CF

Stock#	Pkg./Size	Wt.Lbs.	Cost
TRO-0T	(1) Quart	2.2	7.95
TRO-01	(12) Quarts	26.0	90.00



The smaller the wear scar, the better the protection!



Four Ball Wear Test
(ASTM D 4172),

60 kg, Pressure @ 150°C, RPM: 1800,
for 1 hour duration

JANUARY 1995 RESULTS
OILS TESTED ARE 20W-50 (MOBIL 1 IS
15W-50)



AMSOIL SERIES 2000 SYNTHETIC RACING GREASE

Ultimate protection for hard-driven, high-performance vehicles. Dramatically reduces friction and wear for improved performance.

SERIES 2000 SYNTHETIC RACING GREASE
N.L.G.I. NO. 2, GC/LB

Stock#	Pkg./Size	Wt.Lbs.	Cost
GRG-CR	(1) 14-oz. Cartridge	1.1	9.40
GRG-10	(10) 14-oz. Cartridges	11.0	89.50



AMSOIL SERIES 2000 SYNTHETIC 0W-30 MOTOR OIL

Race-proven technology designed for passenger car performance. Provides unsurpassed fuel efficiency and up to twice the wear protection provided by popular conventional and synthetic motor oils. Recommended for use in all vehicles requiring the use of 5W-30 or 10W-30 motor oils.

SERIES 2000 SAE 0W-30 SYNTHETIC MOTOR OIL
API Service SH, SJ, CF

Stock#	Pkg/Size	Wt. Lbs.	Cost
TSO-QT	(1) Quart	2.2	7.95
TSO-01	(12) Quarts	26.0	90.00



Advanced Fuel Efficient Formula



AMSOIL SERIES 3000 SYNTHETIC 5W-30 HEAVY DUTY DIESEL OIL

Fuel efficient formula for both gasoline and diesel fleets. Delivers up to 82 percent greater wear protection than

SERIES 3000 SAE 5W-30 SYNTHETIC HEAVY DUTY DIESEL OIL

API Service CF, CF-2, CG-4, SH, SJ

Stock#	Pkg/Size	Wt. Lbs.	Cost
HDD-QT	(1) Quart	2.2	7.95
HDD-01	(12) Quarts	26.0	90.00
HDD-1G	(1) Gallon	8.5	30.65
HDD-04	(4) Gallons	34.0	116.60

popular 15W-40 diesel oils. Series 3000 resists oil breakdown from heat, blow-by chemicals and oxygen up to ten times longer than conventional oils.



There's No Other Oil Like It!




AMSOIL SYNTHETIC MOTOR OIL

Dramatically outperforms conventional petroleum motor oils. Reduces friction, heat and wear for maximum power, performance and fuel efficiency. Resists high temperature burn-off, chemical breakdown and sludging—keeps engines cleaner. Outstanding low temperature fluidity for fast, dependable winter starts and immediate start-up protection. Exceeds the most demanding world-wide performance standards and meets warranty requirements for all domestic and imported passenger car engines, both turbo-charged and non-turbo-charged. Up to 25,000-mile or 1-year drain intervals.



**First
and Still the
Best!**



The low volatility of AMSOIL Synthetic Motor Oil reduces oil consumption and improves fuel efficiency.



SAE 5W-30 SYNTHETIC MOTOR OIL API Service SH, SJ, CF

Stock#	Pkg./Size	Wt. Lbs.	Cost
ASL-QT	(1) Quart	2.1	5.50
ASL-01	(12) Quarts	25.0	63.00
ASL-1G	(1) Gallon	8.0	21.40
ASL-04	(4) Gallons	32.0	81.60

SAE 10W-30 SYNTHETIC MOTOR OIL API Service SH, SJ, CF

Stock#	Pkg./Size	Wt. Lbs.	Cost
ATM-QT	(1) Quart	2.1	5.50
ATM-01	(12) Quarts	25.0	63.00
ATM-1G	(1) Gallon	8.0	21.40
ATM-04	(4) Gallons	32.0	81.60

SAE 10W-40 SYNTHETIC MOTOR OIL API Service SH, SJ, CF

Stock#	Pkg./Size	Wt. Lbs.	Cost
AMO-QT	(1) Quart	2.1	5.50
AMO-01	(12) Quarts	25.0	63.00
AMO-1G	(1) Gallon	8.0	21.40
AMO-04	(4) Gallons	32.0	81.60

SAE 10W-40 SEMI-SYNTHETIC MOTOR OIL API Service SH, SJ, CF

Stock#	Pkg./Size	Wt. Lbs.	Cost
PMO-QT	(1) Quart	2.1	4.15
PMO-01	(12) Quarts	25.0	47.40
PMO-1G	(1) Gallon	8.0	16.40
PMO-04	(4) Gallons	32.0	62.40

SAE 20W-50 SYNTHETIC MOTOR OIL API Service SH, SJ, CF

Stock#	Pkg./Size	Wt. Lbs.	Cost
ARO-QT	(1) Quart	2.2	6.25
ARO-01	(12) Quarts	26.0	71.40
ARO-1G	(1) Gallon	8.0	24.20
ARO-04	(4) Gallons	33.0	92.20

SAE 40 SYNTHETIC MOTOR OIL API Service SH, SJ, CF

Stock#	Pkg./Size	Wt. Lbs.	Cost
ARL-1G	(1) Gallon	8.0	24.20
ARL-04	(4) Gallons	33.0	92.20

- AMSOIL synthetic motor oils are fully compatible with conventional motor oil. For best results, however, use AMSOIL Engine Flush, then install AMSOIL synthetic motor oil (See page 25).
- For maximum engine protection, use an AMSOIL Oil Filter (See page 22) and an AMSOIL Air Filter (See page 23).

NOTE: Most quick lube service centers will install these products upon request or install them yourself.

OILS FOR THE LONG HAUL

See page 7
for our newest Series
3000 5W-30 Heavy
Duty Diesel Oil



AMSOIL SYNTHETIC 15W-40 AND SAE 30 DIESEL OIL

The ultimate in diesel engine protection. Specially blended long-life formulation resists oxidation and thermal breakdown—retains viscosity and eliminates sludge and varnish formation.

Outstanding lubricity provides unbeatable wear protection and maximum fuel efficiency. Twelve TBN formula fights corrosion.

Contains special performance additives for acid and soot control. Extended drain capability reduces downtime and oil expenses. Designed to deliver 1,000,000 miles in over the road trucks before engine overhaul. Exceeds stringent performance specifications of all major American and European truck manufacturers.

SAE 15W-40 SYNTHETIC HEAVY DUTY DIESEL AND MARINE MOTOR OIL

API Service CF, CF-2, CG-4, SH, SJ

Stock#	Pkg./Size	Wt. Lbs.	Cost
AME-QT	(1) Quart	2.1	4.85
AME-01	(12) Quarts	25.0	55.20
AME-TP	(1) 2½ Gallon	20.0	45.40
AME-05	(2) 2½ Gallons	40.0	86.50

SAE 15W-40 SEMI-SYNTHETIC GASOLINE & DIESEL OIL


API Service CF, CF-2, CG-4, SH, SJ

Stock#	Pkg./Size	Wt. Lbs.	Cost
PCO-QT	(1) Quart	2.1	4.15
PCO-01	(12) Quarts	25.0	47.40
PCO-1G	(1) Gallon	8.0	16.40
PCO-04	(4) Gallons	33.0	62.40

SAE 30 SYNTHETIC DIESEL OIL

API Service CF, CF-2, SH, SJ

Stock#	Pkg./Size	Wt. Lbs.	Cost
ACD-1G	(1) Gallon	8.0	20.60
ACD-04	(4) Gallons	33.0	78.40



The low volatility of AMSOIL synthetic diesel oil reduces oil consumption and improves fuel efficiency.

AMSOIL SYNTHETIC GEAR LUBE

Provides the long-lasting protection, fuel efficiency and dependability needed for top performance, even in extreme-pressure conditions. Stays fluid in cold temperatures for easy cold-weather shifting.

Excellent for use in passenger cars and trucks requiring a GL-5 gear lube, including those with limited slip differentials. Racers and truckers use it, and it will work miracles in your manual transmission or differential.

No. 1
Selling Viscosity
Grade

SAE 75W-90 SYNTHETIC GEAR LUBE

GL-2 through GL-5, MT-1

Stock#	Pkg./Size	Wt. Lbs.	Cost
AGR-QT	(1) Quart	2.1	7.35
AGR-01	(12) Quarts	25.0	84.00
AGR-1G	(1) Gallon	8.0	28.65
AGR-04	(4) Gallons	32.0	109.20

SAE 80W-90 SYNTHETIC GEAR LUBE

GL-2 through GL-5, MT-1

Stock#	Pkg./Size	Wt. Lbs.	Cost
AGL-QT	(1) Quart	2.1	7.35
AGL-01	(12) Quarts	25.0	84.00
AGL-1G	(1) Gallon	8.0	28.65
AGL-04	(4) Gallons	33.0	109.20



- **Cools Gears**
- **Improves Fuel Economy**





AMSOIL SYNTHETIC AUTOMATIC TRANSMISSION FLUID

Improves fuel efficiency, reduces transmission temperatures by 20° to 50°F and increases transmission life. Provides unsurpassed thermal stability and up to five times the service life of conventional ATFs.

Delivers maximum protection for towing and other severe-duty applications.

SYNTHETIC UNIVERSAL AUTOMATIC TRANSMISSION FLUID

For DEXRON® III, MERCON®, Ford M2C138-CJ,
Ford M2C166-H and Chrysler ATF Plus,
MS-7176B Applications

Stock#	Pkg./Size	Wt. Lbs.	Cost
ATF-QT	(1) Quart	2.1	7.35
ATF-01	(12) Quarts	25.0	84.00
ATF-TP	(1) 2½ Gallon	19.0	69.65
ATF-05	(2) 2½ Gallons	38.0	132.60

HIGH TEMPERATURE FLUID LIFE TESTS

Tests Used Are GM's THOT and Ford's ABOT Measuring TAN Increase

PETROLEUM ATF = 300 HOURS

RESISTS HIGH TEMPERATURE
DEGRADATION THREE TIMES LONGER

AMSOIL SYNTHETIC ATF = 900 + HOURS

AMSOIL PROPYLENE GLYCOL ANTIFREEZE AND ENGINE COOLANT

Combines the benefits of biodegradability, low toxicity and all-climate protection. AMSOIL Propylene Glycol Antifreeze and Engine Coolant is safer for kids and pets than ethylene glycol coolants, which are sweet tasting and extremely toxic.

PROPYLENE GLYCOL ANTIFREEZE & COOLANT

Stock#	Pkg./Size	Wt.Lbs.	Cost
ANF-1G	(1) Gallon Bottle	10.0	15.25
ANF-06	(6) Gallon Bottles	57.0	87.00

Free antifreeze test strip with each gallon purchase



AMSOIL SYNTHETIC 2-CYCLE OIL

Reduces friction and wear, improves throttle response and delivers maximum power. Clean burning ashless formulation prevents plug fouling and carbon deposits—delivers quick, dependable starts. Reduces smoke and emissions and won't "load up" during prolonged idling. Provides outstanding cold temperature flow. Contains special anti-rust agents for off-season storage.



Photo Courtesy of Bombardier Corporation

Maximum protection for:

- Snowmobiles • Boats
- ATVs • Motorcycles
- All air-cooled & water-cooled 2-cycle engines



Photo Courtesy of Bombardier Corporation

SYNTHETIC 2-CYCLE OIL, 100:1 PRE-MIX
API TC-3, TD-3, / NMMA TC-WII, TC-W3

Stock#	Pkg./Size	Wt.Lbs.	Cost
ATC-BC	(1) 8-oz. Bottle	.6	2.65
ATC-08	(12) 8-oz. Bottles	7.0	30.00
ATC-PK	(1) 1.5-oz. Pillow Pack	.2	1.05
ATC-48	(48) 1.5-oz. Pillow Packs	9.0	48.00
ATC-QT	(1) Quart	2.2	7.60
ATC-01	(12) Quarts	26.0	87.00

SYNTHETIC 2-CYCLE INJECTOR OIL
API TC-3, TD-3, / NMMA TC-WII, TC-W3

Stock#	Pkg./Size	Wt.Lbs.	Cost
AIO-QT	(1) Quart	2.1	4.45
AIO-01	(12) Quarts	25.0	51.00
AIO-1G	(1) Gallon	8.0	17.20
AIO-04	(4) Gallons	33.0	65.60

BIODEGRADABLE 2-CYCLE OIL
API TD-3, / NMMA TC-WII

Stock#	Pkg./Size	Wt.Lbs.	Cost
BTC-BC	(1) 8-oz. Bottle	.6	3.95
BTC-08	(12) 8-oz. Bottles	7.0	45.00
BTC-5L	(1) 5 Liter Bottle	12.0	67.65
BTC-10	(2) 5 Liter Bottles	23.0	128.80



AMSOIL SYNTHETIC LOWER UNIT GEAR LUBE

Provides outstanding protection to outboard and sterndrive lower units in freshwater and saltwater applications.

SAE 80W-90 SYNTHETIC GEAR LUBE (GL-4)

Stock#	Pkg./Size	Wt.Lbs.	Cost
ALU-TB	(1) 8-oz. Tube	.7	3.80
ALU-06	(6) 8-oz. Tubes	4.0	21.60
AGT-1G	(1) Gallon	8.0	17.70
AGT-04	(4) Gallons	32.0	67.20



AMSOIL SEMI-SYNTHETIC BAR AND CHAIN OIL

Clings to metal surfaces better than other oils. Delivers unparalleled lubrication and protection.

BAR & CHAIN OIL

Stock#	Pkg./Size	Wt.Lbs.	Cost
ABC-0T	(1) Quart	2.2	3.10
ABC-01	(12) Quarts	26.0	35.40

HOW TO ORDER

TOLL-FREE TELEPHONE ORDERING

Dial 1-800-956-5695 (Contiguous 48 States Only) Hours: 7:00 am to 5:00 pm Central Time, Monday through Friday, except for statutory holidays. When calling, please provide your Customer Number (from the back cover of the catalog).

TECHNICAL QUESTIONS

Direct all technical questions to the AMSOIL Technical Services Department, AMSOIL INC., AMSOIL Bldg., Superior, Wisconsin 54880 or call (715) 392-7101.

SHIPPING AND HANDLING

Orders are subject to the following shipping and handling schedule.

up to 3 lbs. • \$4.90	20 to 39 lbs. • 36¢ per lb.
4 to 6 lbs. • \$5.40	40 to 59 lbs. • 31¢ per lb.
7 to 12 lbs. • \$6.50	60 to 99 lbs. • 29¢ per lb.
13 to 19 lbs. • \$7.10	100 lbs. and over • 26¢ per lb.

NOTE: AMSOIL products cannot be shipped to post office boxes.

PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-956-5695 for damaged product instructions.

SALES TAX INFORMATION

AMSOIL INC. has an established Sales Tax Rate for all states. Because AMSOIL is sometimes required to collect city, county and other taxes as well, the tax rate AMSOIL charges may be higher than just your sales tax. You can verify your sales tax rate with ordering personnel when ordering. AMSOIL also collects any additional taxes on lubricating products required by certain states.

NOTE: Freight charges are subject to sales tax in Connecticut, Georgia, Nebraska, Nevada and Wisconsin. In California, Rhode Island, Texas and Utah, excise taxes are added to the product total before figuring your sales tax.

RETURN POLICY

All unopened containers may be returned within 30 days of order, freight pre-paid, to AMSOIL INC. for a full refund of the purchase price and sales tax (shipping and handling fees are non-refundable). Call 1-800-956-5695 for instructions prior to returning any product.

ALASKA AND HAWAII

AMSOIL products are available through independent AMSOIL Dealers. Check your local Yellow Pages or call 1-800-777-8491 for the name of your nearest AMSOIL Dealer.

OIL FILTER, AIR FILTER OR FLUID CAPACITY QUESTIONS

For oil and air filter specifications, consult your owner's manual or order the AMSOIL Oil & Air Filters Application Guide (G-194, .8 lb, \$3.30). Assistance also available when placing order. For fluid capacity levels, consult your owner's manual or order the AMSOIL Product Selection Guide (G-50, .5 lb, \$4.50).

QUESTIONS

For questions on shipping, sales tax, damaged products, instructions, etc., call 1-800-956-5695, 7 a.m. to 5 p.m. Central Time, M - F, except for statutory holidays.

Prices subject to change without notice.

AMSOIL Also Means BUSINESS

AMSOIL products are sold through independent Dealers.

People like you. People who want extra money, something to do in their spare time, even a full-time business.

You can start an independent AMSOIL Dealership for under \$50 ... and put as much — or as little — time into it as you want.

There's always plenty of support ... never any hassles. No quotas to fill. No inventory requirements. You're your own boss. It's the ideal business opportunity.

You can sell to commercial and retail accounts as well as individuals. It's up to you ... extra money, a full-time income or rock-bottom prices on AMSOIL products.



Call 1-800-956-5695 and order a free G-1284 for information on becoming an independent AMSOIL Dealer.

AMSOIL SYNTHETIC MULTI-PURPOSE GREASE

Protects wheel bearings and other components operating in high-temperature, high-speed conditions. Also available in a convenient spray formulation. Ideal for greasing hard-to-reach equipment.

SYNTHETIC MULTI-PURPOSE GREASE *N.L.G.I. NO. 2, GC/LB*

Stock#	Pkg./Size	Wt.Lbs.	Cost
GLC-03	(3) 3-oz. Mini Cartridges	.8	7.25
GLC-13	(30) 3-oz. Mini Cartridges	8.0	69.00
GLC-CN	(1) 16-oz. Tub	1.3	4.35
GLC-12	(12) 16-oz. Tubs	16.0	49.20
GLC-CR	(1) 14-oz. Cartridge	1.1	3.25
GLC-10	(10) 14-oz. Cartridges	11.0	31.00

SYNTHETIC MULTI-PURPOSE SPRAY GREASE

Stock#	Pkg./Size	Wt.Lbs.	Cost
GLC-SC	(1) 10 ¹ / ₂ -fl. oz Spray Can	.8	6.05
GLC-16	(12) 10 ¹ / ₂ -fl. oz Spray Cans	9.0	69.00

AMSOIL SYNTHETIC HEAVY-DUTY GREASE

Extreme-pressure, moly-fortified. Provides outstanding protection for four wheel drive steering knuckles, spring shackles and other components operating in high-load, low-speed conditions.

SYNTHETIC HEAVY-DUTY GREASE *N.L.G.I. No. 2, GC/LB*

Stock#	Pkg./Size	Wt.Lbs.	Cost
GHD-CN	(1) 16-oz. Tub	1.3	4.50
GHD-12	(12) 16-oz. Tubs	16.0	51.00
GHD-CR	(1) 14-oz. Cartridge	1.1	3.70
GHD-10	(10) 14-oz. Cartridges	11.0	35.00





AMSOIL SYNTHETIC WATER RESISTANT GREASE

Resists water washout and degradation. Unparalleled protection for boat trailer wheel bearings and other components frequently exposed to water.

SYNTHETIC WATER RESISTANT GREASE N.L.G.I. NO. 1 1/2

Stock#	Pkg./Size	Wt.Lbs.	Cost
GWR-CR	(1) 14-oz. Cartridge	1.1	4.45
GWR-10	(10) 14-oz. Cartridges	11.0	42.50



AMSOIL DIESEL FUEL ADDITIVE CONCENTRATE

All-season performance. Lowers diesel fuel gel point by 20° to 35°F, depending on mix ratio. Improves the performance, fuel efficiency and longevity of diesel engines while reducing deposits, black smoke, emissions and injector wear. For use in heavy-duty diesel engines. Treats up to 100 gallons.



DIESEL FUEL ADDITIVE CONCENTRATE

Stock#	Pkg./Size	Wt.Lbs.	Cost
ADC-CN	(1) 16-oz Can	1.4	6.05
ADC-16	(12) 16-oz. Cans	17.0	69.00

AMSOIL P.I. PERFORMANCE IMPROVER GASOLINE ADDITIVE

Ideal for both fuel injected and carbureted systems. Dissolves and removes fuel system deposits and other contaminants for improved power and overall performance in gasoline engines. Reduces PCV and EGR system deposits. Reduces exhaust emissions (tests show up to 90 percent reduction). Improves engine idle, response and starting.

An initial clean-up dose of six ounces for ten gallons of gasoline restores up to 95 percent of an injector's original fuel flow. Periodic maintenance doses of one ounce for ten gallons of gasoline keep injectors and other fuel system



P.I. PERFORMANCE IMPROVER

Stock#	Pkg./Size	Wt.Lbs.	Cost
API-BF	(1) 16-oz Bottle	1.1	7.30
API	(12) 16-oz. Bottles	13.0	83.40



AMSOIL CETANE BOOST DIESEL FUEL ADDITIVE

Improves combustion efficiency to increase power in diesel engines. Raises Cetane three to seven numbers. Also improves low-temperature starting, fuel ignition quality and reliability. Treats up to 200 gallons.

CETANE BOOST

Stock#	Pkg./Size	Wt.Lbs.	Cost
ACB-CN	(1) 16-oz Can	1.3	5.60
ACB-16	(12) 16-oz. Cans	15.0	63.60



AMSOIL DIESEL FUEL MODIFIER

Improves combustion, fuel efficiency, cold-weather starting, power and performance. Cleans injectors, fuel screens, pumps and filters. For use in cars and light-duty trucks. Treats up to 40 gallons.

DIESEL FUEL MODIFIER

Stock#	Pkg./Size	Wt.Lbs.	Cost
ADM-BF	(1) 16-oz Bottle	1.2	4.90
ADM-16	(6) 16-oz. Bottles	7.0	27.60



AMSOIL ENGINE OIL FILTERS


Unique, lofted-fiber medium provides up to 35 percent longer life and 30 percent more capacity than conventional pleated-paper filters. Removes wear-causing particles and assures proper oil flow. Heavy-duty construction. Anti-drainback valve. Up to 12,500 miles or six-month service life.

FULL-FLOW OIL FILTERS

Stock#	Pkg./Size	Wt. Lbs.	Cost
Group 1	(1) Oil Filter	1.0	8.35
Group 2	(1) Oil Filter	1.0	8.95
Group 3	(1) Oil Filter	1.0	9.65
Group 4	(1) Oil Filter	1.0	12.75
Group 5	(1) Oil Filter	2.0	16.75



AMSOIL vs. OTHER MAJOR BRANDS



- Use Price Group 1**
for: ASF-29, 30, 34, 54, 57
- Use Price Group 2**
for: ASF-11, 15, 22, 23, 24, 25, 96
- Use Price Group 3**
for: ASF-10, 20, 36, 42, 44, 45, 84
- Use Price Group 4**
for: ASF-13, 64
- Use Price Group 5**
for: ASF-26, 41, 80, 99

Order two filters to last the entire year, and save freight costs too!

Fill in your vehicle information. Then call 1-800-956-5695 to determine your AMSOIL Oil and Air Filters.

Make _____ Year _____ Model _____

Engine _____

Your AMSOIL Oil Filter is ASF-_____ Your AMSOIL Air Filter is TS-_____

AMSOIL can cross reference filters for your vehicle from the manufacturer and part number of the filters you are currently using. Call 1-800-956-5695 with this information or order an AMSOIL Oil and Air Filters Cross Reference Guide (G-194, \$3.30).

AMSOIL FOAM AIR FILTERS

Oil-wetted foam improves performance and fuel efficiency by trapping more dirt and allowing better air flow. Washable and reusable for thousands of trouble-free miles. Reapply Foam Filter Oil after every washing.



2-STAGE AIR FILTERS (TS)

Use Price Group 1 for: TS-11, 12, 13, 14, 16, 17, 18, 23, 27, 35, 40, 41, 47, 50, 55, 57, 58, 59, 67, 71, 76, 77, 78, 85, 87, 90

Use Price Group 2 for: TS-05, 08, 15, 20, 22, 24, 32, 33, 54, 61, 63, 68, 69, 72, 79, 80, 81, 95

Use Price Group 3 for: TS-06, 09, 19, 29, 31, 43, 45, 49, 52, 53, 74, 89, 91, 96, 97

Use Price Group 4 for: TS-04, 07, 21, 25, 38, 86, 88, 98, 101, 105

Use Price Group 5 for: TS-51, 83, 93, 94, 102

Use Price Group 6 for: 103, 104, 106

2-STAGE REUSABLE AIR FILTERS (TS)

Pricing	Pkg./Size	Wt.Lbs.	Cost
Group 1	(1)	**	21.50
Group 2	(1)	**	24.45
Group 3	(1)	**	28.10
Group 4	(1)	**	32.30
Group 5	(1)	**	40.45
Group 6	(1)	**	47.50

**Shipping Weights: 1 to 3 pounds

POD REUSABLE AIR FILTERS

Stock#	Pkg./Size	Wt.Lbs.	Cost
POD	(1) Filter	2.0	17.30

Fits small engines such as garden tractors, lawn mowers, etc.

FOAM FILTER OIL

Stock#	Pkg./Size	Wt.Lbs.	Cost
AFO-BC	(1) 8-oz Bottle	.7	3.10
AFO-08	(6) 8-oz. Bottles	4.0	17.70

- More Air Flow
- Traps More Dirt
- Improves Performance



AMSOIL BY-PASS OIL FILTERS

The ultimate in filtration technology. Removes water and wear-causing particles. Keeps oil analytically clean. Extends oil service life. Virtually eliminates engine wear.

(some mechanical ability required for installation)

SPIN-ON BY-PASS OIL FILTRATION KIT *

Stock#	Pkg./Size	Wt.Lbs.	Cost
BF-90	(1) Kit	5.0	79.80

*The BF-90 kit includes a filter mount, By-pass filter element, 8' hose and mounting hardware.

BY-PASS OIL FILTER REPLACEMENT ELEMENT

Stock#	Pkg./Size	Wt.Lbs.	Cost
BE-90	(1) Filter Element	3.0	26.25


*OIL SENDING UNIT ADAPTERS

Stock#	Pkg./Size	Wt.Lbs.	Cost
BP-44	(1) Kit (fits most Japanese cars)	.2	6.00
BP-45	(1) Kit (fits most European cars)	.2	10.00

*Call the AMSOIL Technical Services Department at (715) 392-7101 with questions or for installation assistance.



AMSOIL By-Pass Oil Filters filter all the oil in a six-quart system in about five minutes at an average engine speed equivalent to 45 mph.



Call 1-800-956-5695 and order a free G-254A to find out how a TRIGARD Oil Analysis Plan can greatly extend your oil drain intervals.

AMSOIL ENGINE FLUSH

Cleans the crankcase, cylinder walls, pistons and rings for maximum efficiency, protection and performance. Preps engines for installation of AMSOIL Synthetic Motor Oil. Flushing requires one can per vehicle.

Use Engine Flush before changing your oil.

ENGINE FLUSH

Stock#	Pkg./Size	Wt.Lbs.	Cost
AEF-CN	(1) 16-oz Can	1.1	4.50
AEF-16	(12) 16-oz. Cans	13.0	51.00



AMSOIL POWER FOAM

Improves starting and performance. Cleans dirty intake systems and spark plugs and frees sticky valves. Also removes gum, varnish and carbon deposits from engine exterior surfaces.

POWER FOAM

Stock#	Pkg./Size	Wt.Lbs.	Cost
APF-SC	(1) 18-oz. Spray Can	1.5	4.15
APF	(12) 18-oz. Spray Cans	18.0	47.40



AMSOIL SILICONE SPRAY

Perfect for lubricating non-metal surfaces that come into contact with metal, nylon, cardboard, fiberglass, wood or plastic surfaces. Use anywhere a light-duty or silicone lubricant is required.

Special non-stain formula. USDA H-1 rated.

SILICONE SPRAY

Stock#	Pkg./Size	Wt.Lbs.	Cost
ALS-SC	(1) 10-oz. Spray Can	1.2	6.25
ALS-06	(6) 10-oz. Spray Cans	7.0	35.70

AMSOIL METAL PROTECTOR

Disperses water and protects metal surfaces from rust and corrosion. Penetrates existing rust build-up. Also dries wet electrical systems.

A must for any home or shop. Keep a can in your vehicle, too.



MP - METAL PROTECTOR

Stock#	Pkg./Size	Wt.Lbs.	Cost
AMP-SC	(1) 8¾-oz. Spray Can	.8	3.45
AMP	(12) 8¾-oz. Spray Cans	10.0	39.00

AMSOIL LURE GARD

Prevents rust on lures, hooks, swivels, reels and all metal objects in both fresh water and salt water.

Tournament tested Dr. Juice® feeding stimulants mask human scent and make fish strike. Effective on all predatory fish.

LURE GARD


Stock#	Pkg./Size	Wt. Lbs.	Cost
ALG-BA	(1) 4-oz. Bottle	.2	5.20
ALG-06	(6) 4-oz. Bottles	1.0	29.70
ALG-BC	(1) 8-oz. Bottle	.7	7.90
ALG-08	(6) 8-oz. Bottles	4.0	45.00

Both lures left outside for 21 days.



AMSOIL NON-FLAMMABLE RUST PREVENTATIVE

Effectively displaces water, inhibiting the formation of rust and protecting metal surfaces against corrosion. Heat-stable, non-flammable formula is ideal where heat, sparks and open flames preclude the use of other flammable rust preventatives.



NON-FLAMMABLE RUST PREVENTATIVE

Stock#	Pkg/Size	Wt. Lbs.	Cost
ARB-BF	(1) 16-oz. Bottle	1.2	7.25
ARP-16	(6) 16-oz. Bottles	7.0	41.70



See It To Believe It

MIRACLE WASH WATERLESS WASH AND POLISH

This unique dry car wash and polish delivers outstanding performance and quick, easy and economical application. No water required.

Specially formulated to clean, polish and protect non-porous and painted surfaces. Incredibly easy to use: Simply apply, use a clean terry cloth to spread Miracle Wash and wipe clean with a second clean terry cloth! It's simply the fastest way to clean your car.

Specially formulated surfactants lift dirt and other particles from the surface of your car and hold them in suspension. Miracle Wash then acts as a shield, protecting the surface from abrasion while you wipe the dirt clean.

Miracle Wash continues to work long after you've finished cleaning. It repels dust and light dirt particles and protects against the sun's ultraviolet rays.

MIRACLE WASH			
Stock #	Pkg/Size	Wt. Lbs.	Cost
AMW-AP	(1) quart and (1) applicator bottle	2.5	19.20
AMW-44	(4) quarts and (4) applicator bottles	10.0	73.00
AMW-QT	(1) quart	2.3	16.80
AMW-04	(4) quarts	9.0	64.00
G-1278	(1) applicator bottle	.3	2.75
G-1222	(4) applicator bottles	.9	10.00



AMSOIL APPEARANCE PRODUCTS

Everything needed to clean and protect chrome, paint, vinyl, leather and even whitewall tires. Professional, long-lasting beauty and protection, inside and out.

PRO-FORMULA VINYL & LEATHER CLEANER

Designed to penetrate deeply and remove dirt safely, without heavy scrubbing.

Stock#	Pkg./Size	Wt.Lbs.	Cost
PFC-BF	(1) 16-oz. Bottle	1.3	7.30
PFC-16	(6) 16-oz. Bottles	8.0	41.70



PRO-FORMULA VINYL & LEATHER PROTECTANT

Guards leather, vinyl and rubber surfaces against the harmful effects of the sun and weather.

Stock#	Pkg./Size	Wt.Lbs.	Cost
PFP-BF	(1) 16-oz. Bottle	1.3	9.40
PFP-16	(6) 16-oz. Bottles	8.0	53.70



PRO-FORMULA METAL POLISH

Cleans, polishes, seals and protects chrome, aluminum, brass, stainless steel—any metal surface.

Stock#	Pkg./Size	Wt.Lbs.	Cost
PFM-BC	(1) 8-oz. Bottle	.7	5.20
PFM-08	(6) 8-oz. Bottles	4.0	29.70



SILICONE SHIELD AUTO POLISH

Forms a molecular bond with automotive paint and chrome, producing an extremely hard, super-brilliant polymer finish.

Stock#	Pkg./Size	Wt.Lbs.	Cost
ACP-BF	(1) 16-oz. Bottle	1.3	7.35
ACP-16	(6) 16-oz. Bottles	8.0	42.00



RAIN CLEAR

Repels rain, ice snow and sleet from windows for clear vision.

Stock#	Pkg./Size	Wt.Lbs.	Cost
ARS-BA	(1) 4-oz. Bottle	.5	4.45
ARS-04	(4) 4-oz. Bottles	2.0	17.00



AIR FRESHENER SPRAY

Powerfully displaces odors without leaving an overpowering scent.

Stock#	Pkg./Size	Wt.Lbs.	Cost
AFS-BA	(1) 4-oz. Bottle	.2	3.65
AFS-06	(6) 4-oz. Bottles	1.0	20.70



Also cleans fireplaces, tennis shoes, grills and other heavily soiled surfaces

PRO-FORMULA BRITESIDE WHITEWALL TIRE CLEANER

Removes organic materials—dirt, carbon residue, bugs, exhaust—from many common surfaces.

Stock#	Pkg./Size	Wt.Lbs.	Cost
PFB-BF	(1) 16-oz. Bottle	1.3	5.75
PFB-16	(6) 16-oz. Bottles	8.0	32.70



AMSOIL BIODEGRADABLE CITRUS-BASED HAND CLEANSER

Removes paint, tar, grease, ink and other oily materials from skin using the powerful cleaning agent d-limonene. No oil-based solvents. Formulated to outperform other hand cleansers. Available in pumice and non-pumice formulas. Ideal for home or shop.



NON-PUMICE HAND CLEANSER

Stock#	Pkg./Size	Wt.Lbs.	Cost
LHN-BF	(1) 16-oz. Bottle	1.3	6.75
LHN-16	(6) 16-oz. Bottles	8.0	38.70
LHN-1G	(1) Gallon	9.0	22.95
LHN-04	(4) Gallons	36.0	87.80

PUMICE HAND CLEANSER

Stock#	Pkg./Size	Wt.Lbs.	Cost
LHC-BF	(1) 16-oz. Bottle	1.3	6.75
LHC-16	(6) 16-oz. Bottles	8.0	38.70
LHC-1G	(1) Gallon	9.0	22.95
LHC-04	(4) Gallons	36.0	87.80

PURE POWER PLUS MULTI-PURPOSE CLEANER

Concentrated formula for the toughest stains. Replaces all household cleaners. Dilute in water to a 15:1 solution for cleaning glass, floors and countertops. Mix at 3:1 for moderately soiled floors, appliances and concrete. Pure Power Plus at full strength is a powerful cleaner for heavily soiled surfaces.



PURE POWER PLUS MULTI-PURPOSE CLEANER

Stock#	Pkg./Size	Wt.Lbs.	Cost
PPP-0T	(1) 32-oz Bottle	2.3	13.50
PPP-06	(6) 32-oz. Bottles	14.0	77.70

AMSOIL EXTRAS



Portable Racing Chair

Featuring comfortable black canvas, heavy duty framing and the AMSOIL Series 2000 Racing Logo. Comes with its own carrying case and sets up in seconds.

Stock#		Cost
G-1241	(10 lbs.)	79.95 ea



Jackets

Featuring a 100% nylon shell, fleece lining and AMSOIL Logo.

Stock#		Cost
G-1210	(Red)	69.95 ea
G-1212	(Blue)	69.95 ea



Golf Balls

Featuring the AMSOIL Logo.

Stock#		Cost
G-1194	(12 per package)	25.00



Decals

Stock#		Cost
G-1123	(36")	4.40 ea
G-1119	(20 1/2")	2.50 ea
G-1110	(13")	.95 ea
G-1058	(6"—pkg. of 10)	1.75
G-1051	(3"—pkg. of 20)	1.75



Series 2000 Racing Oil Baseball Cap

Featuring all-cloth construction and adjustable sizing strap.

Stock#		Cost
G-1250	(Black)	10.75 ea



Series 2000 Racing Oil T-Shirt

Featuring a small AMSOIL Logo on the front, large logo and winner's flag on back. 50/50 Cotton/Polyester blend.

Stock#		Cost
G-1215	(Black)	9.95 ea

We Couldn't Put It On Our Label If It Wasn't True.

Comparison Proves AMSOIL Best!

(Up to 4 times better wear protection)

Four-Ball Wear Test (ASTM D4172)

(90 kg pressure @ 150°C, 1800 rpm for 1 hour duration)



The smaller the wear scar, the better the protection.

AMSOIL ...
Up To Four Times Better
Wear Protection!



Customer # _____



G-100

12/96

TO ORDER - Call 1-800-956-5695 7 a.m. to 5 p.m. Central Time, M - F